

Single Door 500L



DIGITAL
THERMOSTAT



EVAPORATIVE
WATER TRAY

Designed with premium aluminum frame and white powder coated galvanized steel, this single door showcase is a striking chiller that draws customer attentions.




S Type



SA Type

Product Feature:

- Internal lighting
- Up to 5 adjustable heavy duty PVC coated shelves
- Aluminum ticket bars
- Castors
- Multi-paned heated glass
- Digital controller with temperature display
- Automatic de-frost
- Self-closing door
- Doorstopper
- Replaceable door seals
- Self-evaporating water tray
- CFC free refrigerant



Model	Volume(L)	Temperature	Dimension (WxDxH)m/m	Horse Power(HP)	CFC Free Refrigerant	Power Supply	Accessories
RS-S2002C	500	+3~+8°C	640 x 800 x 2040	1/4	R134a	220 / 110V 50 / 60Hz	5 Adjustable Shelves
RS-SA2002C	500	+3~+8°C	640 x 800 x 2040	1/4	R134a	220 / 110V 50 / 60Hz	5 Adjustable Shelves
RS-S2002F	500	-16~-20°C	640 x 800 x 2040	5/8	R404A	220 / 110V 50 / 60Hz	5 Adjustable Shelves
RS-SA2002F	500	-16~-20°C	640 x 800 x 2040	5/8	R404A	220 / 110V 50 / 60Hz	5 Adjustable Shelves

Single Door 600L



DIGITAL
THERMOSTAT



EVAPORATIVE
WATER TRAY

This spacious single door upright showcase offers a touch of class to your store.
Ideal for retail stores with limited operating space.



S Type



SA Type

Product Feature:

- Internal lighting
- Up to 5 adjustable heavy duty PVC coated shelves
- Aluminum ticket bars
- Castors
- Multi-paned heated glass
- Digital controller with temperature display
- Automatic de-frost
- Self-closing door
- Doorstopper
- Replaceable door seals
- Self-evaporating water tray
- CFC free refrigerant



750



800

2040

UNIT : m/m



750



800

2040

UNIT : m/m

Model	Volume(L)	Temperature	Dimension (WxDxH)m/m	Horse Power(HP)	CFC Free Refrigerant	Power Supply	Accessories
RS-S2001C	600	+3~+8°C	750 x 800 x 2040	1/4	R134a	220 / 110V 50 / 60Hz	5 Adjustable Shelves
RS-SA2001C	600	+3~+8°C	750 x 800 x 2040	1/4	R134a	220 / 110V 50 / 60Hz	5 Adjustable Shelves
RS-S2001F	600	-16~-20°C	750 x 800 x 2040	5/8	R404A	220 / 110V 50 / 60Hz	5 Adjustable Shelves
RS-SA2001F	600	-16~-20°C	750 x 800 x 2040	5/8	R404A	220 / 110V 50 / 60Hz	5 Adjustable Shelves

2 Door



DIGITAL
THERMOSTAT



EVAPORATIVE
WATER TRAY

The Ruey Shing classic double door showcase is a quality and durable choice to your store.
Equipped to stand up to the demand of a busy store.



S Type




SA Type

Product Feature:

- Internal lighting
- Up to 10 adjustable heavy duty PVC coated shelves
- Aluminum ticket bars
- Castors
- Multi-paned heated glass
- Digital controller with temperature display
- Automatic de-frost
- Self-closing door
- Doorstopper
- Replaceable door seals
- Self-evaporating water tray
- CFC free refrigerant




1260




2040

800

UNIT : m/m



1260



2040

800

UNIT : m/m

Model	Volume(L)	Temperature	Dimension (WxDxH)m/m	Horse Power(HP)	CFC Free Refrigerant	Power Supply	Accessories
RS-S2003	970	+3~+8°C	1260 x 800 x 2040	1/3	R134a	220 / 110V 50 / 60Hz	10 Adjustable Shelves
RS-SA2003	970	+3~+8°C	1260 x 800 x 2040	1/3	R134a	220 / 110V 50 / 60Hz	10 Adjustable Shelves
RS-S2004	970	-16~-20°C	1260 x 800 x 2040	1 1/2	R404A	220V 50 / 60Hz	10 Adjustable Shelves
RS-SA2004	970	-16~-20°C	1260 x 800 x 2040	1 1/2	R404A	220V 50 / 60Hz	10 Adjustable Shelves

3 Door



DIGITAL
THERMOSTAT



EVAPORATIVE
WATER TRAY

The Ruey Shing classic triple door showcase is a quality and durable choice to your store.
Equipped to stand up to the demand of a busy store.




S Type




SA Type

Product Feature:


- Internal lighting
- Up to 15 adjustable heavy duty PVC coated shelves
- Aluminum ticket bars
- Castors
- Multi-paned heated glass
- Digital controller with temperature display
- Automatic de-frost
- Self-closing door
- Doorstopper
- Replaceable door seals
- Self-evaporating water tray
- CFC free refrigerant




UNIT : m/m



2040



UNIT : m/m



2040

Model	Volume(L)	Temperature	Dimension (WxDxH)m/m	Horse Power(HP)	CFC Free Refrigerant	Power Supply	Accessories
RS-S2009	1455	+3~+8°C	1870 x 800 x 2040	1/2	R134a	220 / 110V 50 / 60Hz	15 Adjustable Shelves
RS-SA2009	1455	+3~+8°C	1870 x 800 x 2040	1/2	R134a	220 / 110V 50 / 60Hz	15 Adjustable Shelves
RS-S2010	1455	-16~-20°C	1870 x 800 x 2040	1 1/2	R404A	220V 50 / 60Hz	15 Adjustable Shelves
RS-SA2010	1455	-16~-20°C	1870 x 800 x 2040	1 1/2	R404A	220V 50 / 60Hz	15 Adjustable Shelves

4 Door



An ideal choice for customers needing a large merchandising area.

Model can be assembled at the setting, providing the upmost flexibility and efficiency during transportation and installation.






S Type



SA Type

Product Feature:

- Internal LED lighting
- Up to 20 adjustable heavy duty PVC coated shelves
- Aluminum ticket bars
- Castors
- Multi-paned heated glass
- Digital controller with temperature display
- Automatic de-frost
- Self-closing door
- Doorstopper
- Replaceable door seals
- Self-evaporating water tray
- CFC free refrigerant



UNIT : m/m

Model	Volume(L)	Temperature	Dimension (WxDxH)m/m	Horse Power(HP)	CFC Free Refrigerant	Power Supply	Accessories
RS-S2500	1955	+3~+8°C	2490 x 800 x 2040	7/8	R134a	220V 50 / 60Hz	20 Adjustable Shelves
RS-SA2500	1955	+3~+8°C	2490 x 800 x 2040	7/8	R134a	220V 50 / 60Hz	20 Adjustable Shelves

Glass Slide Door




Designed using the highest quality materials and components to provide the users an attractive upright showcase. Its sliding door design efficiently minimizes spaces needed for operation.



Product Feature:

- Internal LED lighting
- Adjustable heavy duty PVC coated shelves
- Aluminum ticket bars
- Castors
- Digital controller with temperature display
- Automatic de-frost
- Self-closing door
- Replaceable door seals
- Slide-doors designed for better operating space
- Self-evaporating water tray
- CFC free refrigerant




UNIT : m/m

Model	Volume(L)	Temperature	Dimension (WxDxH)m/m	Horse Power(HP)	CFC Free Refrigerant	Power Supply	Accessories
RS-S2005	970	+3~+8°C	1260 x 800 x 2040	1/2	R134a	220 / 110V 50 / 60Hz	10 Adjustable Shelves
RS-SA2011	1455	+3~+8°C	1870 x 800 x 2040	5/8	R134a	220 / 110V 50 / 60Hz	10 Adjustable Shelves

Single Door 407L




The 407L single door chiller equipped with perpetual motion fan and roll bond evaporator illustrates a modern, well-specified glass door chiller. Top panel canopy illumination also available on request!



Product Feature:

- Internal lighting
- Up to 5 adjustable heavy duty PVC coated shelves
- Castors
- Multi-paned heated glass
- Self-closing door
- Replaceable door seals
- Clean-free condenser
- CFC free refrigerant




Model	Volume(L)	Temperature	Dimension (WxDxH)m/m	Horse Power(HP)	CFC Free Refrigerant	Power Supply	Accessories
RS-S1014A	407	+3~+8°C	600 x 620 x 1890	1/4	R134a	220 / 110V 50 / 60Hz	5 Adjustable Shelves

Single Door 320L




A simple and cost effective way to add a chiller option.

This 320L bottom mounted chiller showcase offers a bright, modern expression to your store.



Product Feature:

- Internal lighting
- Up to 4 adjustable heavy duty PVC coated shelves
- Castors
- Multi-paned heated glass
- Self-closing door
- Replaceable door seals
- Clean-free condenser
- CFC free refrigerant



UNIT : m/m

Model	Volume(L)	Temperature	Dimension (WxDxH)m/m	Horse Power(HP)	CFC Free Refrigerant	Power Supply	Accessories
RS-S1014B	320	+3~+8°C	600 x 620 x 1580	1/5	R134a	220 / 110V 50 / 60Hz	4 Adjustable Shelves

Single Door 600L




The bottom mounted single door offers a touch of class to your store.
Ideal for retail stores with limited operating spaces. Available in two capacity sizes.



Product Feature:

- Internal LED lighting
- Up to 5 adjustable heavy duty PVC coated shelves
- Aluminum ticket bars
- Castors
- Multi-paned heated glass
- Digital controller with temperature display
- Automatic de-frost
- Self-closing door
- Replaceable door seals
- Self-evaporating water tray
- CFC free refrigerant



UNIT : m/m

Model	Volume(L)	Temperature	Dimension (WxDxH)m/m	Horse Power(HP)	CFC Free Refrigerant	Power Supply	Accessories
RS-S2001UN	600	+3~+8°C	750 x 670 x 1910	1/4	R134a	220 / 110V 50 / 60Hz	5 Adjustable Shelves

Single Door




The bottom mounted single door offers a touch of class to your store.
Ideal for retail stores with limited operating spaces. Available in two capacity sizes.



Product Feature:

- Internal LED lighting
- Up to 5 adjustable heavy duty PVC coated shelves
- Aluminum ticket bars
- Castors
- Multi-paned heated glass
- Digital controller with temperature display
- Automatic de-frost
- Self-closing door
- Replaceable door seals
- Self-evaporating water tray
- CFC free refrigerant



UNIT : m/m

Model	Volume(L)	Temperature	Dimension (WxDxH)m/m	Horse Power(HP)	CFC Free Refrigerant	Power Supply	Accessories
RS-S2002UN	500	+3~+8°C	650 x 670 x 1910	1/4	R134a	220 / 110V 50 / 60Hz	5 Adjustable Shelves

2 Door




The Ruey Shing classic two door showcase is a quality and durable choice to your store. Equipped to stand up to the demand of a busy store.



SA Type

Product Feature:

- Internal LED lighting
- Up to 10 adjustable heavy duty PVC coated shelves
- Aluminum ticket bars
- Castors
- Multi-paned heated glass
- Digital controller with temperature display
- Automatic de-frost
- Self-closing door
- Doorstopper
- Replaceable door seals
- Self-evaporating water tray
- CFC free refrigerant



UNIT : m/m

Model	Volume(L)	Temperature	Dimension (WxDxH)m/m	Horse Power(HP)	CFC Free Refrigerant	Power Supply	Accessories
RS-S2003UN	970	+3~+8°C	1260 x 800 x 2040	1/3	R134a	220 / 110V 50 / 60Hz	10 Adjustable Shelves
RS-S2004UN	970	-16~-20°C	1260 x 800 x 2040	1 1/2	R404A	220V 50 / 60Hz	10 Adjustable Shelves

3 Door


The Ruey Shing classic triple door showcase is a quality and durable choice to your store. Equipped to stand up to the demand of a busy store.



SA Type

Product Feature:

- Internal LED lighting
- Up to 15 adjustable heavy duty PVC coated shelves
- Aluminum ticket bars
- Castors
- Multi-paned heated glass
- Digital controller with temperature display
- Automatic de-frost
- Self-closing door
- Doorstopper
- Replaceable door seals
- Self-evaporating water tray
- CFC free refrigerant



UNIT : m/m

Model	Volume(L)	Temperature	Dimension (WxDxH)m/m	Horse Power(HP)	CFC Free Refrigerant	Power Supply	Accessories
RS-S2009UN	1455	+3~+8°C	1870 x 800 x 2040	7/8	R134a	220 / 110V 50 / 60Hz	15 Adjustable Shelves
RS-S2010UN	1455	-16~-20°C	1870 x 800 x 2040	11/2	R404A	220V 50 / 60Hz	15 Adjustable Shelves