

# Single Door




The bottom mounted single door offers a touch of class to your store.  
Ideal for retail stores with limited operating spaces. Available in two capacity sizes.



## Product Feature:

- Internal LED lighting
- Up to 5 adjustable heavy duty PVC coated shelves
- Aluminum ticket bars
- Castors
- Multi-paned heated glass
- Digital controller with temperature display
- Automatic de-frost
- Self-closing door
- Replaceable door seals
- Self-evaporating water tray
- CFC free refrigerant



UNIT : m/m

Model	Volume(L)	Temperature	Dimension (WxDxH)m/m	Horse Power(HP)	CFC Free Refrigerant	Power Supply	Accessories
RS-S2002UN	500	+3~+8°C	650 x 670 x 1910	1/4	R134a	220 / 110V 50 / 60Hz	5 Adjustable Shelves

# Single Door 600L




The bottom mounted single door offers a touch of class to your store.  
Ideal for retail stores with limited operating spaces. Available in two capacity sizes.



## Product Feature:

- Internal LED lighting
- Up to 5 adjustable heavy duty PVC coated shelves
- Aluminum ticket bars
- Castors
- Multi-paned heated glass
- Digital controller with temperature display
- Automatic de-frost
- Self-closing door
- Replaceable door seals
- Self-evaporating water tray
- CFC free refrigerant



UNIT : m/m

Model	Volume(L)	Temperature	Dimension (WxDxH)m/m	Horse Power(HP)	CFC Free Refrigerant	Power Supply	Accessories
RS-S2001UN	600	+3~+8°C	750 x 670 x 1910	1/4	R134a	220 / 110V 50 / 60Hz	5 Adjustable Shelves

# 2 Door



DIGITAL  
THERMOSTAT



EVAPORATIVE  
WATER TRAY

The Ruey Shing classic double door showcase is a quality and durable choice to your store.  
Equipped to stand up to the demand of a busy store.



S Type




SA Type

## Product Feature:


- Internal lighting
- Up to 10 adjustable heavy duty PVC coated shelves
- Aluminum ticket bars
- Castors
- Multi-paned heated glass
- Digital controller with temperature display
- Automatic de-frost
- Self-closing door
- Doorstopper
- Replaceable door seals
- Self-evaporating water tray
- CFC free refrigerant



UNIT : m/m



UNIT : m/m



Model	Volume(L)	Temperature	Dimension (WxDxH)m/m	Horse Power(HP)	CFC Free Refrigerant	Power Supply	Accessories
RS-S2003	970	+3~+8°C	1260 x 800 x 2040	1/3	R134a	220 / 110V 50 / 60Hz	10 Adjustable Shelves
RS-SA2003	970	+3~+8°C	1260 x 800 x 2040	1/3	R134a	220 / 110V 50 / 60Hz	10 Adjustable Shelves
RS-S2004	970	-16~-20°C	1260 x 800 x 2040	1 1/2	R404A	220V 50 / 60Hz	10 Adjustable Shelves
RS-SA2004	970	-16~-20°C	1260 x 800 x 2040	1 1/2	R404A	220V 50 / 60Hz	10 Adjustable Shelves

# 3 Door



DIGITAL  
THERMOSTAT



EVAPORATIVE  
WATER TRAY

The Ruey Shing classic triple door showcase is a quality and durable choice to your store.  
Equipped to stand up to the demand of a busy store.




S Type




SA Type

## Product Feature:


- Internal lighting
- Up to 15 adjustable heavy duty PVC coated shelves
- Aluminum ticket bars
- Castors
- Multi-paned heated glass
- Digital controller with temperature display
- Automatic de-frost
- Self-closing door
- Doorstopper
- Replaceable door seals
- Self-evaporating water tray
- CFC free refrigerant




UNIT : m/m



2040



UNIT : m/m



2040

Model	Volume(L)	Temperature	Dimension (WxDxH)m/m	Horse Power(HP)	CFC Free Refrigerant	Power Supply	Accessories
RS-S2009	1455	+3~+8°C	1870 x 800 x 2040	1/2	R134a	220 / 110V 50 / 60Hz	15 Adjustable Shelves
RS-SA2009	1455	+3~+8°C	1870 x 800 x 2040	1/2	R134a	220 / 110V 50 / 60Hz	15 Adjustable Shelves
RS-S2010	1455	-16~-20°C	1870 x 800 x 2040	1 1/2	R404A	220V 50 / 60Hz	15 Adjustable Shelves
RS-SA2010	1455	-16~-20°C	1870 x 800 x 2040	1 1/2	R404A	220V 50 / 60Hz	15 Adjustable Shelves



# 4 Door



An ideal choice for customers needing a large merchandising area.

Model can be assembled at the setting, providing the upmost flexibility and efficiency during transportation and installation.






S Type



SA Type

## Product Feature:

- Internal LED lighting
- Up to 20 adjustable heavy duty PVC coated shelves
- Aluminum ticket bars
- Castors
- Multi-paned heated glass
- Digital controller with temperature display
- Automatic de-frost
- Self-closing door
- Doorstopper
- Replaceable door seals
- Self-evaporating water tray
- CFC free refrigerant



UNIT : m/m

Model	Volume(L)	Temperature	Dimension (WxDxH)m/m	Horse Power(HP)	CFC Free Refrigerant	Power Supply	Accessories
RS-S2500	1955	+3~+8°C	2490 x 800 x 2040	7/8	R134a	220V 50 / 60Hz	20 Adjustable Shelves
RS-SA2500	1955	+3~+8°C	2490 x 800 x 2040	7/8	R134a	220V 50 / 60Hz	20 Adjustable Shelves

# Glass Slide Door




Designed using the highest quality materials and components to provide the users an attractive upright showcase. Its sliding door design efficiently minimizes spaces needed for operation.



## Product Feature:

- Internal LED lighting
- Adjustable heavy duty PVC coated shelves
- Aluminum ticket bars
- Castors
- Digital controller with temperature display
- Automatic de-frost
- Self-closing door
- Replaceable door seals
- Slide-doors designed for better operating space
- Self-evaporating water tray
- CFC free refrigerant




UNIT : m/m

Model	Volume(L)	Temperature	Dimension (WxDxH)m/m	Horse Power(HP)	CFC Free Refrigerant	Power Supply	Accessories
RS-S2005	970	+3~+8°C	1260 x 800 x 2040	1/2	R134a	220 / 110V 50 / 60Hz	10 Adjustable Shelves
RS-SA2011	1455	+3~+8°C	1870 x 800 x 2040	5/8	R134a	220 / 110V 50 / 60Hz	10 Adjustable Shelves

# Single Door 407L




The 407L single door chiller equipped with perpetual motion fan and roll bond evaporator illustrates a modern, well-specified glass door chiller. Top panel canopy illumination also available on request!



## Product Feature:

- Internal lighting
- Up to 5 adjustable heavy duty PVC coated shelves
- Castors
- Multi-paned heated glass
- Self-closing door
- Replaceable door seals
- Clean-free condenser
- CFC free refrigerant




Model	Volume(L)	Temperature	Dimension (WxDxH)m/m	Horse Power(HP)	CFC Free Refrigerant	Power Supply	Accessories
RS-S1014A	407	+3~+8°C	600 x 620 x 1890	1/4	R134a	220 / 110V 50 / 60Hz	5 Adjustable Shelves

# Single Door 320L




A simple and cost effective way to add a chiller option.

This 320L bottom mounted chiller showcase offers a bright, modern expression to your store.



## Product Feature:

- Internal lighting
- Up to 4 adjustable heavy duty PVC coated shelves
- Castors
- Multi-paned heated glass
- Self-closing door
- Replaceable door seals
- Clean-free condenser
- CFC free refrigerant



UNIT : m/m

Model	Volume(L)	Temperature	Dimension (WxDxH)m/m	Horse Power(HP)	CFC Free Refrigerant	Power Supply	Accessories
RS-S1014B	320	+3~+8°C	600 x 620 x 1580	1/5	R134a	220 / 110V 50 / 60Hz	4 Adjustable Shelves



# Single Door 600L



DIGITAL  
THERMOSTAT



EVAPORATIVE  
WATER TRAY

This spacious single door upright showcase offers a touch of class to your store.  
Ideal for retail stores with limited operating space.



S Type



SA Type

## Product Feature:

- Internal lighting
- Up to 5 adjustable heavy duty PVC coated shelves
- Aluminum ticket bars
- Castors
- Multi-paned heated glass
- Digital controller with temperature display
- Automatic de-frost
- Self-closing door
- Doorstopper
- Replaceable door seals
- Self-evaporating water tray
- CFC free refrigerant



750



800

2040

UNIT : m/m



750



800

2040

UNIT : m/m

Model	Volume(L)	Temperature	Dimension (WxDxH)m/m	Horse Power(HP)	CFC Free Refrigerant	Power Supply	Accessories
RS-S2001C	600	+3~+8°C	750 x 800 x 2040	1/4	R134a	220 / 110V 50 / 60Hz	5 Adjustable Shelves
RS-SA2001C	600	+3~+8°C	750 x 800 x 2040	1/4	R134a	220 / 110V 50 / 60Hz	5 Adjustable Shelves
RS-S2001F	600	-16~-20°C	750 x 800 x 2040	5/8	R404A	220 / 110V 50 / 60Hz	5 Adjustable Shelves
RS-SA2001F	600	-16~-20°C	750 x 800 x 2040	5/8	R404A	220 / 110V 50 / 60Hz	5 Adjustable Shelves

# Single Door 500L



DIGITAL  
THERMOSTAT



EVAPORATIVE  
WATER TRAY

Designed with premium aluminum frame and white powder coated galvanized steel, this single door showcase is a striking chiller that draws customer attentions.




S Type



SA Type

## Product Feature:

- Internal lighting
- Up to 5 adjustable heavy duty PVC coated shelves
- Aluminum ticket bars
- Castors
- Multi-paned heated glass
- Digital controller with temperature display
- Automatic de-frost
- Self-closing door
- Doorstopper
- Replaceable door seals
- Self-evaporating water tray
- CFC free refrigerant



UNIT : m/m

UNIT : m/m

Model	Volume(L)	Temperature	Dimension (WxDxH)m/m	Horse Power(HP)	CFC Free Refrigerant	Power Supply	Accessories
RS-S2002C	500	+3~+8°C	640 x 800 x 2040	1/4	R134a	220 / 110V 50 / 60Hz	5 Adjustable Shelves
RS-SA2002C	500	+3~+8°C	640 x 800 x 2040	1/4	R134a	220 / 110V 50 / 60Hz	5 Adjustable Shelves
RS-S2002F	500	-16~-20°C	640 x 800 x 2040	5/8	R404A	220 / 110V 50 / 60Hz	5 Adjustable Shelves
RS-SA2002F	500	-16~-20°C	640 x 800 x 2040	5/8	R404A	220 / 110V 50 / 60Hz	5 Adjustable Shelves

# 2 Door




The Ruey Shing classic two door showcase is a quality and durable choice to your store. Equipped to stand up to the demand of a busy store.



SA Type

## Product Feature:

- Internal LED lighting
- Up to 10 adjustable heavy duty PVC coated shelves
- Aluminum ticket bars
- Castors
- Multi-paned heated glass
- Digital controller with temperature display
- Automatic de-frost
- Self-closing door
- Doorstopper
- Replaceable door seals
- Self-evaporating water tray
- CFC free refrigerant



Model	Volume(L)	Temperature	Dimension (WxDxH)m/m	Horse Power(HP)	CFC Free Refrigerant	Power Supply	Accessories
RS-S2003UN	970	+3~+8°C	1260 x 800 x 2040	1/3	R134a	220 / 110V 50 / 60Hz	10 Adjustable Shelves
RS-S2004UN	970	-16~-20°C	1260 x 800 x 2040	1 1/2	R404A	220V 50 / 60Hz	10 Adjustable Shelves

# 3 Door


The Ruey Shing classic triple door showcase is a quality and durable choice to your store. Equipped to stand up to the demand of a busy store.



SA Type

## Product Feature:

- Internal LED lighting
- Up to 15 adjustable heavy duty PVC coated shelves
- Aluminum ticket bars
- Castors
- Multi-paned heated glass
- Digital controller with temperature display
- Automatic de-frost
- Self-closing door
- Doorstopper
- Replaceable door seals
- Self-evaporating water tray
- CFC free refrigerant



UNIT : m/m

Model	Volume(L)	Temperature	Dimension (WxDxH)m/m	Horse Power(HP)	CFC Free Refrigerant	Power Supply	Accessories
RS-S2009UN	1455	+3~+8°C	1870 x 800 x 2040	7/8	R134a	220 / 110V 50 / 60Hz	15 Adjustable Shelves
RS-S2010UN	1455	-16~-20°C	1870 x 800 x 2040	11/2	R404A	220V 50 / 60Hz	15 Adjustable Shelves